

Ecolane Accessibility Conformance Report WCAG Edition

(Based on VPAT® Version 2.4)

Name of Product/Version: Mobility by Ecolane, Version 4.2.5

Report Date: July 13, 2022

Product Description: Ecolane's Self Service mobile app allows passengers from participating agencies to manage their transportation from the convenience of their smart phone.

Contact Information: mobileappfeaturerequests@ecolane.com

Notes:

This report was created by Deque Systems Inc. upon completion of an accessibility evaluation which was performed between May 2022 and July 2022.

The scope of this VPAT includes Ecolane native Android application assessment. The scope includes following screens:

[&]quot;Voluntary Product Accessibility Template" and "VPAT" are registered service marks of the Information Technology Industry Council (ITI)

- I. Itinerary
- II. New trip
- III. Specifics
- IV. Pick up notes
- V. Mobility Aid
- VI. Payment
- VII. Passengers
- VIII. Trips
- IX. Trip details
- X. Cancel trip
- XI. Account
- XII. Personal

Evaluation Methods Used:

• Manual assessment of native Android screens using Samsung mobile running on Android 11+ with TalkBack and Switch Control.

Applicable Standards/Guidelines

This report covers the degree of conformance for the following accessibility standard/guidelines:

Standard/Guideline	Included In Report
Web Content Accessibility Guidelines 2.0	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)
Web Content Accessibility Guidelines 2.1	Level A (Yes)
	Level AA (Yes)
	Level AAA (No)

Terms

The terms used in the Conformance Level information are defined as follows:

- **Supports**: The functionality of the product has at least one method that meets the criterion without known defects or meets with equivalent facilitation.
- Partially Supports: Some functionality of the product does not meet the criterion.
- Does Not Support: The majority of product functionality does not meet the criterion.
- Not Applicable: The criterion is not relevant to the product.
- Not Evaluated: The product has not been evaluated against the criterion. This can be used only in WCAG 2.0 Level AAA.

WCAG 2.1 Report

Note: When reporting on conformance with the WCAG 2.1 Success Criteria, the criteria are scoped for full pages, complete processes, and accessibility-supported ways of using technology as documented in the <u>WCAG 2.1 Conformance Requirements</u>.

Table 1: Success Criteria, Level A

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.1.1 Non-text Content (Level A)	Supports	
All non-text content that is presented to the user has a text alternative		
that serves the equivalent purpose, except for the situations listed		
below.		
Controls, Input: If non-text content is a control or accepts user		
input, then it has a name that describes its purpose. (Refer to		
Success Criterion 4.1.2 for additional requirements for controls and		
content that accepts user input.)		
• Time-Based Media: If non-text content is time-based media, then		
text alternatives at least provide descriptive identification of the		
non-text content. (Refer to Guideline 1.2 for additional		
requirements for media.)		
• Test : If non-text content is a test or exercise that would be invalid if		
presented in text, then text alternatives at least provide descriptive		
identification of the non-text content.		
Sensory: If non-text content is primarily intended to create a specific		
sensory experience, then text alternatives at least provide		
descriptive identification of the non-text content.		
CAPTCHA: If the purpose of non-text content is to confirm that		
content is being accessed by a person rather than a computer, then		
text alternatives that identify and describe the purpose of the non-		
text content are provided, and alternative forms of CAPTCHA using		
output modes for different types of sensory perception are provided		
to accommodate different disabilities.		
Decoration, Formatting, Invisible: If non-text content is pure		
decoration, is used only for visual formatting, or is not presented to		
users, then it is implemented in a way that it can be ignored by		
assistive technology.		

For prerecorded audio-only and prerecorded video-only media, the following are true, except when the audio or video is a media alternative for text and is clearly labeled as such: • Prerecorded Audio-only: An alternative for time-based media is provided that presents equivalent information for prerecorded audio-only content. • Prerecorded Video-only: Either an alternative for time-based media	Supports	The Ecolane screens do not contain prerecorded audioonly or video-only media.
or an audio track is provided that presents equivalent information for prerecorded video-only content.		
1.2.2 Captions (Prerecorded) (Level A) Captions are provided for all prerecorded audio content in synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Supports	The Ecolane screens do not contain prerecorded audio- only or video-only media.
1.2.3 Audio Description or Media Alternative (Prerecorded) (Level A) An alternative for time-based media or audio description of the prerecorded video content is provided for synchronized media, except when the media is a media alternative for text and is clearly labeled as such.	Supports	The Ecolane screens do not contain prerecorded video content.
1.3.1 Info and Relationships (Level A) Information, structure, and relationships conveyed through presentation can be programmatically determined or are available in text.	Supports	
1.3.2 Meaningful Sequence (Level A) When the sequence in which content is presented affects its meaning, a correct reading sequence can be programmatically determined.	Supports	
Instructions provided for understanding and operating content do not rely solely on sensory characteristics of components such as shape, color, size, visual location, orientation, or sound. Note: For requirements related to color, refer to Guideline 1.4.	Supports	
1.4.1 Use of Color (Level A) Color is not used as the only visual means of conveying information, indicating an action, prompting a response, or distinguishing a visual	Supports	

alancant.	<u> </u>	
element.		
<i>Note:</i> This success criterion addresses color perception specifically.		
Other forms of perception are covered in Guideline 1.3 including		
programmatic access to color and other visual presentation coding.		
•	Supports	The Ecolane screens do not contain audio control.
If any audio on a Web page plays automatically for more than 3 seconds,		
either a mechanism is available to pause or stop the audio, or a		
mechanism is available to control audio volume independently from the		
overall system volume level.		
Note: Since any content that does not meet this success criterion		
can interfere with a user's ability to use the whole page, all content		
on the Web page (whether or not it is used to meet other success		
criteria) must meet this success criterion. See Conformance		
Requirement 5: Non-Interference.		
	Supports	
All functionality of the content is operable through a keyboard interface		
without requiring specific timings for individual keystrokes, except		
where the underlying function requires input that depends on the path		
of the user's movement and not just the endpoints.		
Note 1: This exception relates to the underlying function, not the		
input technique. For example, if using handwriting to enter text, the		
input technique (handwriting) requires path-dependent input but		
the underlying function (text input) does not.		
Note 2: This does not forbid and should not discourage providing		
mouse input or other input methods in addition to keyboard		
operation.		
2.1.2 No Keyboard Trap (Level A)	Supports	
If keyboard focus can be moved to a component of the page using a		
keyboard interface, then focus can be moved away from that		
component using only a keyboard interface, and, if it requires more than		
unmodified arrow or tab keys or other standard exit methods, the user		
is advised of the method for moving focus away.		
Note: Since any content that does not meet this success criterion		
can interfere with a user's ability to use the whole page, all content		
on the Web page (whether it is used to meet other success criteria		
or not) must meet this success criterion. See Conformance		
Requirement 5: Non-Interference.		

2.1.4 Character Key Shortcuts (Level A 2.1 only)	Supports	
If a keyboard shortcut is implemented in content using only letter		
(including upper- and lower-case letters), punctuation, number, or		
symbol characters, then at least one of the following is true:		
Turn off: A mechanism is available to turn the shortcut off;		
Remap: A mechanism is available to remap the shortcut to include		
one or more non-printable keyboard keys (e.g., Ctrl, Alt);		
Active only on focus: The keyboard shortcut for a user interface		
component is only active when that component has focus.		
2.2.1 Timing Adjustable (Level A)	Supports	
For each time limit that is set by the content, at least one of the		
following is true:		
Turn off: The user is allowed to turn off the time limit before		
encountering it; or		
Adjust: The user is allowed to adjust the time limit before		
encountering it over a wide range that is at least ten times the		
length of the default setting; or		
• Extend: The user is warned before time expires and given at least 20		
seconds to extend the time limit with a simple action (for example,		
"press the space bar"), and the user is allowed to extend the time		
limit at least ten times; or		
• Real-time Exception: The time limit is a required part of a real-time		
event (for example, an auction), and no alternative to the time limit		
is possible; or		
• Essential Exception: The time limit is essential and extending it		
would invalidate the activity; or		
• 20 Hour Exception: The time limit is longer than 20 hours.		
2.2.2 Pause, Stop, Hide (Level A)	Supports	
For moving, blinking, scrolling, or auto-updating information, all of the		
following are true:		
 Moving, blinking, scrolling: For any moving, blinking or scrolling 		
information that (1) starts automatically, (2) lasts more than five		
seconds, and (3) is presented in parallel with other content, there is		
a mechanism for the user to pause, stop, or hide it unless the		
movement, blinking, or scrolling is part of an activity where it is		
essential; and		
• Auto-updating: For any auto-updating information that (1) starts		

automatically and (2) is presented in parallel with other content,	
there is a mechanism for the user to pause, stop, or hide it or to	
control the frequency of the update unless the auto-updating is part	t
of an activity where it is essential.	
Note 1: For requirements related to flickering or flashing content,	
refer to Guideline 2.3.	
Note 2: Since any content that does not meet this success criterion	
can interfere with a user's ability to use the whole page, all content	
on the Web page (whether it is used to meet other success criteria	
or not) must meet this success criterion. See Conformance	
Requirement 5: Non-Interference.	
Note 3: Content that is updated periodically by software or that is	
streamed to the user agent is not required to preserve or present	
information that is generated or received between the initiation of	
the pause and resuming presentation, as this may not be technically	,
possible, and in many situations could be misleading to do so.	
Note 4: An animation that occurs as part of a preload phase or	
similar situation can be considered essential if interaction cannot	
occur during that phase for all users and if not indicating progress	
could confuse users or cause them to think that content was frozen	
or broken.	
2.3.1 Three Flashes or Below Threshold (Level A)	Supports
Web pages do not contain anything that flashes more than three times	
in any one second period, or the flash is below the general flash and red	
flash thresholds.	
Note: Since any content that does not meet this success criterion	
can interfere with a user's ability to use the whole page, all content	
on the Web page (whether it is used to meet other success criteria	
or not) must meet this success criterion. See Conformance	
Requirement 5: Non-Interference.	
2.4.1 Bypass Blocks (Level A)	Supports
A mechanism is available to bypass blocks of content that are repeated	
on multiple Web pages.	
2.4.2 Page Titled (Level A)	Supports
Web pages have titles that describe topic or purpose.	
The Oran Market State of the Company	

2.4.3 Focus Order (Level A)	Supports
If a Web page can be navigated sequentially and the navigation	
sequences affect meaning or operation, focusable components receive	
focus in an order that preserves meaning and operability.	
2.4.4 Link Purpose (In Context) (Level A)	Supports
The purpose of each link can be determined from the link text alone or	
from the link text together with its programmatically determined link	
context, except where the purpose of the link would be ambiguous to	
users in general.	
2.5.1 Pointer Gestures (Level A 2.1 only)	Supports
All functionality that uses multipoint or path-based gestures for	
operation can be operated with a single pointer without a path-based	
gesture, unless a multipoint or path-based gesture is essential.	
2.5.2 Pointer Cancellation (Level A 2.1 only)	Supports
For functionality that can be operated using a single pointer, at least one	e
of the following is true:	
No Down-Event: The down-event of the pointer is not used to	
execute any part of the function;	
Abort or Undo: Completion of the function is on the up-event, and a	a
mechanism is available to abort the function before completion or	
to undo the function after completion;	
Up Reversal: The up-event reverses any outcome of the preceding	
down-event;	
• Essential: Completing the function on the down-event is essential.	
2.5.3 Label in Name (Level A 2.1 only)	Supports
For user interface components with labels that include text or images of	f
text, the name contains the text that is presented visually.	
2.5.4 Motion Actuation (Level A 2.1 only)	Supports
Functionality that can be operated by device motion or user motion can	
also be operated by user interface components and responding to the	
motion can be disabled to prevent accidental actuation, except when:	
Supported Interface: The motion is used to operate functionality	
through an accessibility supported interface;	
Essential: The motion is essential for the function and doing so	
would invalidate the activity.	
3.1.1 Language of Page (Level A)	Supports
The default human language of each Web page can be programmatically	y

Supports	
Supports	
Supports	
Supports	
'	
Supports	
,	
	Supports Supports Supports Supports Supports

Table 2: Success Criteria, Level AA

Notes:

Criteria	Conformance Level	Remarks and Explanations
1.2.4 Captions (Live) (Level AA)	Supports	
Captions are provided for all live audio content in synchronized media.		
1.2.5 Audio Description (Prerecorded) (Level AA)	Supports	
Audio description is provided for all prerecorded video content in		
synchronized media.		
1.3.4 Orientation (Level AA 2.1 only)	Supports	
Content does not restrict its view and operation to a single display		
orientation, such as portrait or landscape, unless a specific display		
orientation is essential.		
1.3.5 Identify Input Purpose (Level AA 2.1 only)	Supports	
The purpose of each input field collecting information about the user can		
be programmatically determined when:		
The input field serves a purpose identified in the Input Purposes for		
User Interface Components section; and		
The content is implemented using technologies with support for		
identifying the expected meaning for form input data.		
1.4.3 Contrast (Minimum) (Level AA)	Supports	
The visual presentation of text and images of text has a contrast ratio of		
at least 4.5:1, except for the following:		
Large Text: Large-scale text and images of large-scale text have a		
contrast ratio of at least 3:1;		
Incidental: Text or images of text that are part of an inactive user interfered and appropriate that are part of an inactive user.		
interface component, that are pure decoration, that are not visible to		
anyone, or that are part of a picture that contains significant other visual content, have no contrast requirement.		
• Logotypes: Text that is part of a logo or brand name has no contrast		
requirement.		
1.4.4 Resize text (Level AA)	Supports	
Except for captions and images of text, text can be resized without		
assistive technology up to 200 percent without loss of content or		
functionality.		
1.4.5 Images of Text (Level AA)	Supports	

1.4.13 Content on Hover or Focus (Level AA 2.1 only)	Supports	
Where receiving and then removing pointer hover or keyboard focus		
triggers additional content to become visible and then hidden, the		
following are true:		
Dismissible: A mechanism is available to dismiss the additional		
content without moving pointer hover or keyboard focus, unless the		
additional content communicates an input error or does not obscure		
or replace other content;		
Hoverable: If pointer hover can trigger the additional content, then		
the pointer can be moved over the additional content without the		
additional content disappearing;		
• Persistent: The additional content remains visible until the hover or		
focus trigger is removed, the user dismisses it, or its information is no		
longer valid.		
Exception: The visual presentation of the additional content is controlled		
by the user agent and is not modified by the author.		
2.4.5 Multiple Ways (Level AA)	Supports	
More than one way is available to locate a Web page within a set of Web		
pages except where the Web Page is the result of, or a step in, a process.		
2.4.6 Headings and Labels (Level AA)	Supports	
Headings and labels describe topic or purpose.		
2.4.7 Focus Visible (Level AA)	Supports	
Any keyboard operable user interface has a mode of operation where the		
keyboard focus indicator is visible.		
3.1.2 Language of Parts (Level AA)	Supports	
The human language of each passage or phrase in the content can be		
programmatically determined except for proper names, technical terms,		
words of indeterminate language, and words or phrases that have		
become part of the vernacular of the immediately surrounding text.		
3.2.3 Consistent Navigation (Level AA)	Supports	
Navigational mechanisms that are repeated on multiple Web pages		
within a set of Web pages occur in the same relative order each time they	<u>'</u>	
are repeated, unless a change is initiated by the user.		
3.2.4 Consistent Identification (Level AA)	Supports	
Components that have the same functionality within a set of Web pages		
are identified consistently.		
3.3.3 Error Suggestion (Level AA)	Supports	

If an input error is automatically detected and suggestions for correction are known, then the suggestions are provided to the user, unless it would		
jeopardize the security or purpose of the content.		
3.3.4 Error Prevention (Legal, Financial, Data) (Level AA)	Supports	
For Web pages that cause legal commitments or financial transactions for		
the user to occur, that modify or delete user-controllable data in data		
storage systems, or that submit user test responses, at least one of the		
following is true:		
Reversible: Submissions are reversible.		
• Checked: Data entered by the user is checked for input errors and the		
user is provided an opportunity to correct them.		
Confirmed: A mechanism is available for reviewing, confirming, and		
correcting information before finalizing the submission.		
4.1.3 Status Messages (Level AA 2.1 only)	Supports	
In content implemented using markup languages, status messages can be		
programmatically determined through role or properties such that they		
can be presented to the user by assistive technologies without receiving		
focus.		

Table 3: Success Criteria, Level AAA

Notes: Level AAA success criterions are not within the scope of this conformance evaluation.

Legal Disclaimer (Ecolane)

https://www.ecolane.com/privacy-policy-mobile-app